



Fire Risk Assessment

Record of significant findings

Risk Assessment – Record of significant findings		
Risk assessment for	Assessment/review undertaken	
War Memorial Recreation Ground, Whitefield Road, New Milton BH25 6DE.	Date: February 2019 Completed by: Theresa Elliott Signature:	
Sheet number 1 Performance Pavillion and surrounding site:	Use:Events	
Step 1 – Identify fire hazards		
Sources of ignition	Sources of fuel	Sources of oxygen
The site is public open space. The pavillion is open sided with services secured unless booked. Potential sources Arson	The area is kept clear with staff in attendance on site during normal office hours.	No additional sources
Step 2 – People at risk		
<p>Staff</p> <p>Event organisers and volunteers. Need to factor in age and crowd behaviour</p> <p>Customers with a vulnerability</p> <p>Sensory impairment due to alcohol, drugs or medication</p>		



Fire Risk Assessment

Step 3 – Evaluate, remove, reduce and protect from risk

(3.1) Evaluate the risk of the fire occurring	3.1 The performance pavilion has all services secured and only available when booked. Key access. Potential risk is low
(3.2) Evaluate the risk to people from a fire starting at the premises	3.2 Any bar area or marquee structure will be assessed by the event organisers.
(3.3) Remove and reduce the hazards that may cause a fire	<p>All event staff will be briefed by the organisers prior to event start. Although the site is extensive, it has many exit points should the need arise. This is covered in the Fire and Evacuation Plan. Organisers will have specific deployments in the event of an emergency.</p> <p>The site is well lit and maintained with lamp standards along each footpath.</p> <p>Fire buckets (as a minimum) will be required at the entrance to each structure.</p>
(3.4) Remove and reduce the risks to people from a fire	No significant further measures are needed to reduce risk.

Assessment review

Assessment/review date	Completed by	Signature
February 2020	Theresa Elliott	

Review outcome (where substantial changes have occurred a new record sheet should be used)